



Aluminum Safe Non-Foaming Alkali Cleaner



Caution:
For Professional Use Only.
Keep Out Of Reach Of Children.
Please read all precautions and SDS
before using this or any product.

Net Contents: On Containers

A powerful powdered product which encourages oil and grease to "split" to the top of the containment vessel after use. Parts Wash Plus is specially formulated to clean metal parts without the aid of hazardous solvents or other hazardous materials and when used as directed, will remove heavy grease and grime without harming metal or painted parts. Parts Wash Plus has been specially formulated to be low foaming for use in industrial mechanical spray wash machines.

Directions:

Before using, make sure that the desired surface is cool to prevent early evaporation. Read MSDS and test in a small inconspicuous area.

Soak tank: Use 1/2 to 1 pound of product per gallon of water, depending on guality of parts being cleaned.

Spray Cabinet: Use 1/4 to 1/2 pound of product per gallon of water, depending on quality of parts being cleaned. Blow dry with compressed air.

This product is designed exclusively for industrial and institutional use by trained personnel. This product is sold as is and the manufacturer makes no warranty, express or implied, of merchantability, fitness for a particular purpose or otherwise.



Danger!

Causes severe skin burns and eye damage.
Causes serious eye damage.
May cause respiratory irritation.

Prevention:

Do not eat, drink, or smoke while using this product.

Avoid breathing tumes, mist and overspray as much as possible. Use only in well ventilated areas. Eyes: Wear safety glasses when handling product. Skin: Wear appropriate gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations if exposure limits are exceeded or if irritation or other symptoms are experienced.

Precautionary Statements (First Aid):

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses if present and easy to do. Get medical attention immediately if irritation persists.

Skin: Immediately flush skin with plenty of water for at least 15 minutes while removing any contaminated clothing and shoes. Discard contaminated clothing in a manner which limits further exposure, making sure to wash before reuse. Contact a physician immediately if irritation persists.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cups of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Inhalation: Remove from exposure and move to fresh air immediately and keep comfortable for breathing. If breathing is difficult, give oxygen. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask. Get medical attention immediately if irritation per-

Notes to Physician: Treat symptomatically and supportively. Consult a doctor and/or the nearest Poison Control Centre for all exposures.

UN1759,

Corrosive Solids, N.O.S., (Sodium Metasilicate), 8, PGII



To Reorder: 770.578.4240

Algonquin Products, Inc. | P.O. Box 87005 | Dartmouth, MA 02748 www.algonquinproducts.com 24 Hour Emergency Number 800.535.5053 SDS Reference Number: 2676