



1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Whisk Hand Cleaner 220

Intended Use: Hand cleanser cream

Manufacturer: Whisk Products, Inc.
130 Enterprise Drive Wentzville, MO 63385

Telephone Number: (636) 327-6261

Emergency Number: Call (Infotrac) (800) 535-5053

Please call INFOTRAC in the event of a transportation or medical emergency involving a human or an animal.

2. HAZARD IDENTIFICATION



Signal Word: Danger

Classification:

Flammable liquid: Category 4

Aspiration toxicant: Category 1

Eye irritation: Category 2

Hazard Statements:

Combustible liquid.

May be fatal if swallowed and enters airways.

Causes eye irritation.

Precautionary Statements:

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed.

IF SWALLOWED: Immediately call a Poison Center or Physician. Do not induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists, get medical attention.

In case of fire: Use water fog, foam, dry chemical or carbon dioxide (CO₂) for extinction.

Collect spillage. Dispose of contents and container in accordance with local regulations.



3. COMPONENTS

Significant Ingredients	CAS #	Weight %	Physical Haz
Petroleum Distillates	64742-47-8	> 20	Flam Liq 4
Oleic Acid	112-80-1	< 10	
White Mineral Oil	8042-47-5	< 10	
C10 - C14 Alcohols, Ethoxylated	66455-15-0	< 5	
Propylene Glycol	57-55-6	< 5	
Ethanolamine	141-43-5	< 2	
Water	7732-18-5	> 20	

This cleanser contains other ingredients that do not affect the product's final classification because of their minimal concentration. See product label for full ingredient information.

4. FIRST AID MEASURES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irritation persists, get medical attention.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. If skin irritation occurs, get medical attention.

IF SWALLOWED: Immediately call a Poison Center or Physician. Do not induce vomiting.

IF INHALED: Remove to fresh air; apply artificial respiration if necessary. Get medical attention.

5. FIRE-FIGHTING MEASURES

General Hazard

Combustible materials can form flammable mixtures at temperatures at or above the flash point. Empty containers can contain residues that can cause fires or explosions when exposed to heat, flames, or sparks.

Fire-Fighting

Keep fire exposed containers cool with water spray. Separate unburning product from fire. Use carbon dioxide, foam, or dry chemical extinguishing media to put out fires.

Unusual Decomposition Products Under Fire Conditions

None

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Remove contaminated clothing, including shoes and wash thoroughly after contact. Launder contaminated clothing before reuse.

Environmental Precautions

Prevent entry into sewers and waterways.

Once spill material is cleaned up, rinse area with water to remove slip/fall hazard.

Dispose of contents and container in accordance with local regulations.



7. **HANDLING AND STORAGE**

Safe Handling and Storage

Do use near open flames or ignition sources; product and vapors while hands are drying are ignitable.
Do not handle, store, or dispense near open flames or ignition sources.
Keep containers inside and out of direct sunlight.
Exposure to extreme conditions will have an adverse effect on this product.
Do not reuse containers.

Incompatible Products

Avoid strong oxidizing and reducing agents.

8. **EXPOSURE CONTROL AND PERSONAL PROTECTION**

Ventilation

Local exhaust is usually sufficient. General exhaust is preferred.

Personal Protection

This product is designed to be used on skin.
Petroleum resistant gloves should be used when excessive handling would cause prolonged contact.

Work Place Exposure Guide Lines

Petroleum Distillates has a recommended TWA of 100 ppm.
White Mineral Oil has a recommended TLV of 5 mg/M³ (mist).
Ethanolamine has a recommended TWA of 3 ppm and STEL of 6 ppm.

9. **PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point:	> 200 °F
Specific Gravity (water =1):	0.91
Vapor Pressure (mm Hg):	1
Melting Point:	> 100 °F
Vapor Density (Air =1):	> 5
Evaporation Rate (butyl Acetate=1):	< 0.2
Solubility in Water:	Rinsable
Reactivity in Water:	NIL
Appearance and Odor:	White cream with fruity odor
Flash Point:	174 °F
Flammable Limits (volume percent in air):	LEL: Not Established UEL: Not Established
Autoignition Temperature:	Not Established



10. **STABILITY AND REACTIVITY**

Stability: [] Unstable [X] Stable

Conditions to avoid: None

Incompatibility (Materials to avoid): Strong oxidizing and reducing agents.

Hazardous Decomposition Products: Combustion may produce oxides of carbon.

Hazardous Polymerization: [] May Occur [X] Will Not Occur

Conditions to Avoid: Not Applicable

11. **TOXICOLOGICAL INFORMATION**

	Skin	Eye	Asp
Petroleum Distillates	--	--	Asp Tox 1
C10 - C14 Alcohols, Ethoxylated		Eye Dam 1	
Ethanolamine	Skin Cor 1B	Eye Dam 1	
White Mineral Oil	has no GHS classification		
Propylene Glycol	has no GHS classification		
Oleic Acid	has no GHS classification		
Water	has no GHS classification		

C10 - C14 Alcohols, Ethoxylated has an Oral LD50 of 1000 mg/kg.

Ethanolamine has an Oral LD50 of 1089 mg/kg.

Symptoms Related to the Toxicological Characteristics

Eye irritation. May include stinging, tearing, redness, swelling, and blurred vision. May be fatal if swallowed and entered air ways.

This product is considered an aspiration hazard based on one component's physical/chemical properties.

This product is not expected to cause cancer. This product is not expected to cause skin sensitization.

No data is available to indicate that any ingredient is mutagenic or genotoxic.

This product is not expected to cause reproductive or developmental effects.

Repeated exposure to low viscosity materials may defat the skin resulting in possible irritation and dermatitis.

Exposure to vapors or aerosol concentrations above the recommended exposure level is irritating to the eyes and respiratory tract, and may cause headaches, dizziness, anesthesia, and even unconsciousness.

12. **ECOLOGICAL INFORMATION**

This product is not considered damaging to the environment, but it should not be allowed to enter into sewers or waterways.

This product contains a Volatile Organic Compound: So part of it will evaporate upon release.

Please refer to Section 6 for accidental release information.

13. **DISPOSAL CONSIDERATIONS**

Drained empty packaging can be recycled or disposed with other solid waste.

Unused product can be incinerated directly in appropriate equipment.



14. **TRANSPORT INFORMATION**

The DOT does not regulate this product for ground shipments.

15. **REGULATORY INFORMATION**

This product's label design and content follows the cosmetic labeling requirements of the Food and Drug Administration.

All components of this product are on the U.S. EPA TSCA Inventory List.

16. **OTHER INFORMATION**

This document was revised 01 May 2018.

INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR PARTICULAR USES ARE BEYOND OUR CONTROL; ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. APPROPRIATE WARNINGS AND SAFE HANDLING PROCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS.