

MATERIAL SAFETY DATA SHEET

SECTION 1 -- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME | AP Clear Dry

PRODUCT CODE | 1118

ISSUE DATE | 08-10-07

EMERGENCY TELEPHONE NUMBERS

Distributor: **Algonquin Products Company** Transportation: **(800) 535-5053***
STREET ADDRESS: **1165 Allgood Road, Suite 13** * For spill, leak, fire or transport accident emergencies.
CITY, STATE, ZIP: **Marietta, GA 30062** Product Information: **(866-578-4240)**

SECTION 2 -- COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENT	CAS No.	% by wt.	EXPOSURE LIMITS		
			OSHA PEL	ACGIH TLV	NIOSH REL
Ethoxylated Linear Alcohol	68987-81-5	15 - 30	NE	NE	NE

SECTION 3 -- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	Can cause eye and skin irritation. Harmful if swallowed.
--------------------	---

POTENTIAL HEALTH EFFECTS	
INGESTION	Can cause irritation, nausea, stomach distress, vomiting and diarrhea.
INHALATION	May cause mild irritation of nose, throat, and respiratory tract.
EYE CONTACT	Causes eye irritation.
SKIN CONTACT	Prolonged or repeated contact may cause skin irritation.

SECTION 4 -- FIRST AID MEASURES

INGESTION	If swallowed: If conscious, immediately induce vomiting by giving 2 glasses of water and sticking a finger down the throat. Get immediate medical attention. Do not give anything by mouth to an unconscious or convulsing person.
INHALATION	Remove to fresh air and provide oxygen if breathing is difficult. Get medical attention.
EYE CONTACT	Immediately flush eye with plenty of cool running water. Remove contact lenses if applicable and continue flushing for at least 15 minutes. Get medical attention immediately.
SKIN CONTACT	Wash with soap and water. If irritation develops or persists, get medical attention.
NOTE TO PHYSICIAN	

SECTION 5 -- FIRE FIGHTING MEASURES

FLASH POINT / METHOD	Greater than 200 Deg F	FLAMMABLE LIMITS	Combustible liquid
EXTINGUISHING MEDIA	Use water fog, alcohol foam, dry chemical or carbon dioxide.		
SPECIAL FIRE FIGHTING PROCEDURES	Clear fire area of unprotected personnel. Do not enter confined fire space without full bunker gear, including positive pressure self-contained breathing apparatus. Cool fire-exposed containers with water to prevent vapor pressure buildup.		
FIRE AND EXPLOSION HAZARDS	Vapors from this product may travel or be moved by air currents and ignited at locations distant from handling point.		

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Small spills: Flush to sanitary sewer. Mop up residue and rinse area thoroughly with water. Large spills: Dike or dam spill. Pump to containers or soak up on inert absorbent. Remove all ignition sources before beginning cleanup; use personal protective equipment.
--------------------	--

SECTION 7 -- HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store upright in a cool dry place.

SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION

HYGIENIC PRACTICES	Normal procedures for good hygiene.
ENGINEERING CONTROLS	Good general ventilation should be sufficient to control airborne levels. Facilities using this product should be equipped with an eyewash station.

PERSONAL PROTECTIVE EQUIPMENT

X	RESPIRATOR	Recommended for prolonged use in confined areas with poor ventilation
X	GOGGLES / FACE SHIELD	Recommended; goggles should be chemical splash type
	APRON	Not necessary
X	GLOVES	Recommended; PVC, Neoprene or Nitrile acceptable
	BOOTS	Not necessary

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear blue liquid	BOILING POINT	160 deg F
ODOR	Alcohol	FREEZING POINT	Not established
pH	8.2 (100% concentrate)	VAPOR PRESSURE	Not applicable
SPECIFIC GRAVITY	1.0	VAPOR DENSITY	Not applicable
SOLUBILITY IN WATER	Complete	EVAPORATION RATE	Not determined

SECTION 10 -- STABILITY AND REACTIVITY

CHEMICAL STABILITY		STABLE	X		UNSTABLE	
CONDITIONS TO AVOID	No special precautions beyond standard safe industrial practices.					
INCOMPATIBILITY	Avoid contact with strong mineral acids and strong oxidizers, including chlorine bleach.					
HAZARDOUS PRODUCTS OF DECOMPOSITION	Carbon monoxide may be formed during combustion.					
POLYMERIZATION		WILL NOT OCCUR	X		MAY OCCUR	
CONDITIONS TO AVOID	Not applicable					

SECTION 11 -- TOXICOLOGICAL INFORMATION**CARCINOGENICITY**

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910, Z

OTHER EFFECTS

ACUTE	Not determined
CHRONIC	Not determined

SECTION 12 -- ECOLOGICAL INFORMATION

BIODEGRADABILITY		CONSIDERED BIODEGRADABLE	X		NOT BIODEGRADABLE	
BOD / COD VALUE	Not established					
ECOTOXICITY	No data available					

SECTION 13 -- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD	Product that cannot be used according to the label must be disposed of according to local, state, and federal regulations. Empty containers may be triple rinsed, then offered for recycling or reconditioning; or puncture and dispose of in a sanitary landfill.								
RCRA CLASSIFICATION									
RECYCLE CONTAINER		YES	X		CODE	2 - HDPE		NO	

SECTION 14 -- TRANSPORT INFORMATION

DOT CLASSIFICATION		HAZARDOUS			NOT HAZARDOUS	X
DESCRIPTION	Not applicable					

SECTION 15 -- REGULATORY INFORMATION

REGULATORY STATUS

	EPA REGISTERED (UNDER FIFRA)	
	FDA REGULATED	
	KOSHER	
	SARA TITLE III MATERIAL	
	USDA AUTHORIZED	

SECTION 16 -- OTHER INFORMATION

NFPA CLASSIFICATION

2	BLUE	HEALTH HAZARD
0	RED	FLAMMABILITY
0	YELLOW	REACTIVITY
--	WHITE	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by CDS Services, Inc., in connection with the use of this information.