Foaming Caustic Cleaner

SECTION I - IDENTIFICATION



Algonquin Products Company P.O. Box 87005

Dartmouth, MA 02748

(770) 578-4240

Infotrac #84191 :..... (800) 535-5053

PRODUCT NUMBER: ALG-1009

PRODUCT NAME: Foaming Caustic Cleaner

CHEMICAL FAMILY: Alkaline cleaner

 CAS NUMBER:
 1310-73-2

 DATE PREPARED:
 5/13/2015

 REVISION NUMBER:
 5/13/2015

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Skin Corrosion/Irritation Category 1
Serious Eye Damage/Eye Irritation Category 1

DANGER!

GHS LABEL:



Hazard Statements

H314 Causes severe burns and eye damage

H318 Causes serious eye damage

Foaming Caustic Cleaner

Precautionary Statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do so - continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS#	Component%	OSHA PEL	ACGIH TLV
Sodium Hydroxide	1310-73-2	< 20	2 mg/m³, Ceiling	2 mg/m³, Ceiling
Caustic Potash, 45%	1310-58-3	< 10	2 mg/m³, Ceiling	2 mg/m³, Ceiling

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush with water for 15 minutes. Seek immediate medical attention. Remove contact

lenses, if present and easy to do. Continue rinsing.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing

immediately and launder before reuse. If irritations persist, seek immediate medical

attention.

Inhalation: If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attetntion.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Foaming Caustic Cleaner

Special Fire Fighting Procedures As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Unusual Fire Fighting Hazards: Not determined.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Keep unnecessary and unprotected personnel from entering. Put on

appropriate personal protective equipment.

Environmental Precautions: Contain spill if it can be done with minimal risk. Prevent liquid from

entering drains, sewers or waterways. Notify proper authorities.

Methods for Cleaning Up: Mop up or absorb onto absorbant material and collect for disposal.

Dispose of contents/container to an approved waste disposal plant.

SECTION VII - HANDLING AND STORAGE

Handling and Storage:

- Avoid contact with strong acids. Certain metals (Aluminum).
- Handle in accordance with good industrial hygiene and safety practice. Wear protective gloves/protective clothing and eye/face protection. Do not eat, drink or smoke when using this product. Do not breath dust/fume/gas/mist/vapors/spray. Use only with adequate ventilation. Wash face, hands, and any exposed skin thoroughly after handling.

Remove contaminated clothing and wash before reuse.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS#	OSHA PEL	ACGIH TLV
Sodium Hydroxide	1310-73-2	2 mg/m³, Ceiling	2 mg/m³, Ceiling
Caustic Potash, 45%	1310-58-3	2 mg/m³, Ceiling	2 mg/m³, Ceiling

Engineering Controls: Apply technical measures to comply with the occupational exposure limits.

Showers. Eyewash stations. Ventilation systems.

Monitoring: Handle in accordance with good industrial hygiene and safety practice.

> Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before

reuse.

Personal Protective Equipment (PPE)

Eye Protection: Safety glasses with side shields or chemical goggles.

Skin Protection: Impervious apron and work boots recommend where splashing may occur.

Foaming Caustic Cleaner

Respiratory Protection: None needed under normal use conditions with adequate ventilation. If

the occupational exposure limits are exceeded, a NIOSH approved

respirator with acid gas cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection

and use of repiratory equipment must be in accordance with OSHA

1910.134 and good industrial hygiene practice.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES			
Appearance	Brown Liquid		
Odor	None		
pH@25°C	13-14		
Melting/Freezing Point	Not Determined		
Flashpoint	Not Determined		
Specific Gravity	1.20		
Soluability	Complete		
Auto-Ignition Temperature	Not Determined		
Decomposition Temperature	Not Determined		
VOC Content	Not Determined		
Odor Threshold	Not Determined		
Boiling Range	>212°F		
Evaporation Point	Not Determined		
Flammable Limits - Upper	Not Determined		
Flammable Limits - Lower	Not Determined		
Vapor Pressure	Not Determined		
Vapor Density (Air=1)	Not Determined		
Viscosity	Not Determined		

SECTION X - STABILITY AND REACTIVITY

Stability: Stable, under normal conditions of storage and handling.

Conditions to Avoid: Avoide high temperatures. Keep out of reach of children.

Hazardous Decomposition/Byproducts: None known

Hazardous Polymerization: Will not occur.

Polymerization Conditions to Avoid: None

Foaming Caustic Cleaner

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Contact and inhalation; ingestion possible.

Inhalation: Do Not Inhale

Eye Contact: Will cause severe burns on contact and will damage the eyes.

Skin Contact: Causes severe skin burns.

Ingestion: Harmful if swallowed.

Do Not taste or swallow

Toxicity:

Component Name	LD50	LC50
Sodium Hydroxide	Not Established	Not Established
Caustic Potash, 45%	Oral - Rat - 333 mg/kg	Not Established

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, State, and local regulations.

Foaming Caustic Cleaner

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Corrosive Liquid, Basic, Inorganic n.o.s.

Contains: Sodium Hydroxide

Hazard Class and Label: 8

Identification Number: UN3266

Packaging Group:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
N/A	N/A	N/A	N/A	N/A

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

Component Name	CAS#	% by wt.	
	1310-58-3	< 10	

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

Component Name	CAS#	% by wt.	RQ (lbs.)
Sodium Hydroxide	1310-73-2	< 20	1,000
Potassium Hydroxide	1310-58-3	< 10	1,000

SECTION XVI - OTHER INFORMATION

Additional:

Foaming Caustic Cleaner

Specification Information

Department issuing data sheet: Revised 4/20/15

Email address:

Training necessary:

Disclaimer:

The information provided in this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.