SECTION I - IDENTIFICATION		
AL	GONQUIN	Algonquin Products Company P.O. Box 87005 Dartmouth, MA 02748 (770) 578-4240 Infotrac #84191 :
Product Number	ALG-1075	
Product Name	PFG-5	
Chemical Family	Dry Detergent	
CAS Number	Multiple	
Date Prepared	5/12/2015	
Revision Number	5/12/2015	
Recommended Use	Industrial Use Only	
SECTION II - HAZARDOUS IDENTIFICATION		

GHS CLASSIFICATION:

<u>Classification</u>	
Corrosive to Metals	Category 1
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1

DANGER!

GHS LABEL:



Hazard Statements

H290	May be corrosive to metals
H314	Causes severe burns and eye damage
H318	Causes serious eye damage

Precautionary	<u>Statements</u>
P234	Keep only in original container.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
p390	Absorb spillage to prevent material damage.
P404	Store in a closed container.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Sodium Hydroxide	1310-73-2	< 30	2 mg/m ³ , Ceiling	2 mg/m ³ , Ceiling
Sodium Dichloroisocyanurate	2893-78-9	< 1		

SECTION IV - FIRST AID MEASURES

Contact with eyes:	Flush with water for 15 minutes. Seek immediate medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact:	Wash exposed areas with water and mild soap. Remove contaminated clothing immediately and launder before reuse. If irritations persist, seek immediate medical attention.
Inhalation:	If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion:	If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting.

SECTION V - FIREFIGHTING MEASURES		
Special Fire Fighting Procedure	s As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	
Unusual Fire Fighting Hazards:	Not determined.	
SEC	TION VI - ACCIDENTAL RELEASE MEASURES	
	eep unnecessary and unprotected personnel from entering. Put on ppropriate personal protective equipment.	
Environmental Precautions: C	ontain spill if it can be done with minimal risk.	

Methods for Cleaning Up:	Mop up or absorb onto absorbant material and collect for disposal.
	Dispose of contents/container to an approved waste disposal plant.

SECTION VII - HANDLING AND STORAGE	
Handling and Storage:	 Avoid contact with Strong alkalis. Oxidizers. Store out of direct sunlight and in a cool, well-ventilated area.
	 Avoid contact with eyes.

EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Sodium Hydroxide	1310-73-2	2 mg/m ³ , Ceiling	2 mg/m ³ , Ceiling
Sodium Dichloroisocyanurate	2893-78-9		

Engineering Controls: Apply technical measures to comply with the occupational exposure limits. Showers. Eyewash stations. Ventilation systems.

Monitoring:Handle in accordance with good industrial hygiene and safety practice.Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when
using this product. Take off all contaminated clothing and wash it before
reuse.

Personal Protective Equipment (PPE)

Eye Protection: Safety glasses with side shields or chemical goggles.

Skin Protection:	Wash hands and any exposed skin throughly after handling.
	Wear protective gloves and protective clothing.

Respiratory Protection: None needed under normal use conditions with adequate ventilation. If the occupational exposure limits are exceeded, a NIOSH approved respirator with acid gas cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of repiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	White Granular Powder	
Odor	No Odor	
pH@25°C	13.00 in 1% Water Solution	
Melting/Freezing Point	N/A	
Flashpoint	N/A	
Specific Gravity		
Soluability	Complete	
Auto-Ignition Temperature	-	
Decomposition Temperature	-	
VOC Content	-	
Odor Threshold	-	
Boiling Range	N/A	
Evaporation Point	N/A	
Flammable Limits - Upper	N/A	
Flammable Limits - Lower	N/A	
Vapor Pressure	N/A	
Vapor Density (Air=1)	N/A	
Viscosity	-	

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

SECTION X - STABILITY AND REACTIVITY

Stability:	Stable, under normal conditions of storage and handling.	
Conditions to Avoid:	Keep out of reach of children. Extreme temperatures.	
Hazardous Decomposition/Byproducts:	None known	
Hazardous Polymerization:	Will not occur.	
Polymerization Conditions to Avoid:	None	
Incompatibilities:	Strong acids. Certain metals, aluminum.	

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure:	Contact and inhalation; ingestion possible.
Inhalation:	Do Not Inhale
Eye Contact:	Will cause severe burns on contact and will damage the eyes.
Skin Contact:	Contact may cause mild sking irritation including redness, burning and drying/cracking of the skin.
Ingestion:	Harmful if swallowed. Can cause sever burns and complete tissue damage.
	drying/cracking of the skin.

Toxicity:

Component Name	LD50	LC50
Sodium Hydroxide	Not Established	Not Established
Sodium Dichloroisocyanurate		

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, State, and local regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name:	Corrosive Solid, Basic, Inorganic, n.o.s.,
Contains:	Sodium Hydroxide
Hazard Class and Label:	8
Identification Number:	UN3262
Packaging Group:	II
Other Shipping Info:	

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
Х	Х			

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

Component Name	CAS #	% by wt.	RQ (lbs.)
Sodium Hydroxide	1310-73-2	< 30	1,000

CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION

HMIS Health:	3
HMIS Flammability:	0
HMIS Reactivity:	1

Additional:

Specification Information

Department issuing data sheet: Revised 4/20/15

Email address:

Training necessary:

Disclaimer:

The information provided in this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.